

WATER-WASHED AIR PURIFIER


MODEL NO.: KJG-178C

OPERATION MANUAL


We enjoy the health

Of our family

Exploding Drawing:



II. Control Panel:



All buttons listed below from the left to the right are:

First line: **ON/OFF**

Second line: **Airflow**、**Lampion**

Third line: **Anion**、**UV Lamp**

ON/OFF:

Pressing this power button  to start the machine, it will run at the low speed state, the water-washing system starts working. Pressing this button  again, the product will stop working.

Airflow:

Pressing this button, the airflow button  lights, the machine will work at low speed at the beginning. Pressing it again, the airflow speed (low, medium, high) can be changed circularly.

Lampion:

Pressing this button,  'color lampions will blink. Pressing it again, the lampions will darken.

Anion:

Pressing this button,  Anion symbol lights, the ionizer starts working. Pressing it again, the ionizer stops working.

UV Lamp:

Pressing this button,  UV-Photocatalyst function starts working. Pressing it again, the UV-Photocatalyst stops working.

III. Installation and Attention:

● Fill Water


Make sure the power is off. Twist off and take out the upper body, then fill water into the transparent tank. Make sure to fill water no higher than the “H” level and no lower than the “L” level marked outside the tank. Then twist on the upper body and set it in right place.

Attention: The water-washing system won't work if not enough water is filled, so please add water higher than the “L” level before turning on the machine.

● Drain and Clean

Please change the water in time when it hasn't been used for a long time or is contaminated. The steps are as below:

- i Turn off the power and unplug the machine.
- ii Twist off and take out the upper body.
- iii. Empty the dirty water inside the tank, and clean the tank. If necessary, you may also add some detergent into the water for cleaning purpose.
- iv. Replace all the cleaned parts back in the right position.
- v. The machine needs cleaning every 3 months only.



IV. Maintenance:

- The machine should be placed on a water level surface. When carrying, please hold the bottom steadily.
- Clean the water suction pipe and the water deflector with a brush after long time using.
- Clean or replace the filters: Twist off and take out the upper body and drain the water, take off and replace the photocatalyst filter.
- Clean the surface of body with cloth.
- Make sure nothing put above the airflow outlet.
- As the machine has humidifying function, if your room is already very moist please choose airflow at low speed state, or stop working of the machine.
- Unplug the machine when it doesn't need working.
- If no use the machine for a long time, empty the water and keep the tank dry.
- For after-service in case of damage, please go to the appointed agent for maintenance.

V. Trouble Shooting:

Troubles	Possible Reason	Solution
Stop working	Power off	1. Press ON/OFF button 2. Check power

VI. Technical Data:

Product Name	Air Purifier
Model	KJG-178C
Voltage	220V
Power	26W
Airflow	130m ³ /h
Noise	≤35dB(A)
Tank Capacity	4.5L
Dimension	250mmx250mmx350mm

Note: please subject to the actual product if the accessories are changed; the technical data is subjected to the nameplate on the machine body.

VII. Accessories:

- i . Main set (1 pc)
- ii . Operating manual (1 pc)

WARNING:

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- Prior to cleaning or other maintenance, the appliance must be disconnected from the supply mains.